

Recommended Immunizations for Children Aged

2 Months

Write the Date received in the box next to the vaccine once your child has received it.

HepB	Hepatitis B (This dose may be administered anywhere from 1-2 months. Talk to your provider for more information.)	(Dose 2 of 3)	Date received
RV*	Rotavirus	(Dose 1 of 3)	Date received
DTaP	Diphtheria, Pertussis, & Tetanus	(Dose 1 of 5)	Date received
Hib*	Haemophilus influenzae type b	(Dose 1 of 4)	Date received
PCV15, PCV20	Pneumococcal disease	(Dose 1 of 4)	Date received
IPV	Polio	(Dose 1 of 4)	Date received
RSV*	Respiratory Syncytial Virus (This dose can be administered anywhere from birth-19 months. Talk to your doctor or health care provider for more information.)	(Dose 1 of 1)	Date received

FOOTNOTES

RV* **Hib***

Administering a third dose at age 6 months depends on the brand of Hib or rotavirus vaccine used for previous dose.

RSV*

Your child might need an RSV vaccine. Talk to your doctor or health care provider for more information.



DISCLAIMER: Dosages and Vaccinations required are as presented on the CDC's recommended infant vaccination schedule. Contact your healthcare provider or visit <https://www.cdc.gov/vaccines> for more information.

Last Updated: February 2025